

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVN168AGC	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 01/25/2011
NAME OF PROVIDER OR SUPPLIER FAMILY HOME CARE RHL		STREET ADDRESS, CITY, STATE, ZIP CODE 975 CORDONE AVE RENO, NV 89502		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
Y 000	<p>Initial Comments</p> <p>The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws.</p> <p>This Statement of Deficiencies was generated as a result of an annual State Licensure survey conducted in your facility on 1/25/11. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division.</p> <p>The facility is licensed for nine Residential Facility for Group beds for elderly and disabled persons, Category II residents. The census at the time of the survey was seven. Seven resident files were reviewed and two employee files were reviewed. One discharged resident file was reviewed.</p> <p>The facility received a grade of A.</p> <p>The following deficiencies were identified:</p>	Y 000		
Y 430 SS=E	<p>449.229(1) Protection from Fire</p> <p>NAC 449.229 1. The administrator of a residential facility shall ensure that the facility complies with the regulations adopted by the State Fire Marshal pursuant to chapter 477 of NRS and all local ordinances relating to safety from fire. The facility must be approved for residency by the State Fire Marshal.</p>	Y 430		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVN168AGC	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/25/2011
NAME OF PROVIDER OR SUPPLIER FAMILY HOME CARE RHL			STREET ADDRESS, CITY, STATE, ZIP CODE 975 CORDONE AVE RENO, NV 89502		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.